

Date Issued: 28/05/2015 SAFETY DATA SHEET

## **SECTION 1: IDENTIFICATION OF THE PREPARATION AND THE COMPANY**

**PRODUCT NAME:** P Wave with Enzymatic Technology (Honeysuckle)

**RECOMMENDED USE:** Deodoriser

**RESTRICTIONS ON USE:** For intended use only

**MANUFACTURED FOR:** 

Waypoint Corporation 4 Prime Buildings Daux Road

Billingshurst

West Sussex RH14 9SJ

**TELEPHONE:** 01403 782632

EMERGENCY CONTACT (spill/release): 01444 220999

### **SECTION 2: HAZARDS IDENTIFICATION**

<u>General</u>: Contains small amounts of chemicals that are hazardous to health and the environment but in quantities too small to constitute any practical risks to health or the environment. Combustible material.

#### UNDER EC REGULATION 1272/2008 AS AMENDED ("CLP")

Skin Irrit. 2 H315
Skin Sens. 1 H317
Eye Irrit. 2 H319
Repr. 2 H361f
Aquatic Chronic 2 H411
Aquatic Chronic 3 H412

## UNDER EC DIRECTIVE 67/548/EEC AS AMENDED ("DPD")

R36 Irritating to eyes R38 Irritating to skin

R43 May cause sensitisation by skin contact

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in aquatic environment R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in aquatic environment

R62 Possible risk of impaired fertility

R66 Repeated exposure may cause skin dryness or cracking

### UNDER EC REGULATION 1272/2008 AS AMENDED ("CLP")

Signal word:

WARNING

Pictograms:

Health hazard Exclamation mark Environment









## **Hazard Statements:**

H315 : Causes skin irritation

H317 : May cause an allergic skin reaction

H319 : Causes serious eye irritationH361f : Suspected of damaging fertility

H411 : Toxic to aquatic life with long lasting effects
H412 : Harmful to aquatic life with long lasting effects

# **Precaution Statements:**

P103: Read label before use

P273: Avoid release to the environment

P280: Wear protective gloves/protection clothing/eye protection/face protection

P302 + P352: IF ON SKIN: Wash with plenty of water

P333 + P313: If skin irritation or rash occurs: Get medical advice/attention

P501: Dispose of contents/container to approved containers

## Labelling According to EU Guidelines

Xi: Irritant

N: Dangerous for the environment

Xn: Harmful

# UNDER EC DIRECTIVE 67/548/EEC AS AMENDED ("DPD")

### **Hazard Symbols:**







### **Risk Phrases:**

R36 Irritating to eyes R38 Irritating to skin

R43 May cause sensitisation by skin contact

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in aquatic environment R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in aquatic environment

R62 Possible risk of impaired fertility

R65 Harmful: may cause lung damage if swallowed

### Safety Phrases:

S24: Avoid contact with skinS25: Avoid contact with eyes

S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice

S37/39: Wear suitable gloves and eye/face protection

S45: In case of accident or feeling unwell seek medical advice immediately (show the label where possible)

S60: This material and its container must be disposed of as hazardous waste

S61: Avoid release to the environment. Refer to special instructions/safety data sheet



## **SECTION 3: INGREDIENT INFORMATION**

<u>Chemical Identification</u>: Solid plastic slow-release slow release deodorizing preparation in the form of a moulded urinal screen. It is made from pigmented thermoplastic impregnated

with a fragrance composition and colour to represent the fragrance. For institutional use only.

<u>Form/Shape</u>: Screen weighs approximately 52g in the form of a circle with open slots and <u>protrusions</u> (7" diameter approximately).

<u>CAS Number</u>: Not applicable since the product is a preparation.

<u>EINECS/ELINCS #:</u> Not applicable since the product is a preparation.

The product is a complex mixture of substances of which the following have been classified as presenting a health or environmental hazard or as having an occupational exposure limit within the meaning of the Directive 67/548/EEC or 1999/45/EC

					Haza	rd Classification	
Level (%)	CAS Nr	EC Nr	Substance	(Dir. 67/548/CE)		(Reg. CE 1272/2008)	
			ETHYLENE-VINYL ACETATE				
60-80%	24937-78-8		COPOLYMER				
			1,6-OCTADIEN-3-OL, 3,7-				
0.3-3%	78-70-6	201-134-4	DIMETHYL-	R38	Xi	H315	Skin Irrit. 2
			2,6-OCTADIEN-1-OL, 3,7-				
0.3-3%	105-87-3	203-341-5	DIMETHYL-, ACETATE, (E)-	R51/53	N	H411	Aquatic Chronic 2
			4,7-METHANO-1H-INDEN-6-OL,				
			3a,4,5,6,7,7a-HEXAHYDRO-,				
0.3-3%	5413-60-5	226-501-6	ACETATE	R52/53		H412	Aquatic Chronic 3
			4,7-METHANO-1H-INDEN-6-OL,				
			3a,4,5,6,7,7a-HEXAHYDRO-,				
0.3-3%	17511-60-3	241-514-7	PROPIONATE	R51/53	N	H411	Aquatic Chronic 2
			ACETIC ACID, 2-PHENYLETHYL				
0.3-3%	103-45-7	203-113-5	ESTER	R36	Xi	H319	Eye Irrit. 2
0.3-3%	142-92-7	205-572-7	ACETIC ACID, HEXYL ESTER	R51/53	N	H411	Aquatic Chronic 2
0.3-3%	101-84-8	202-981-2	BENZENE, 1,1'-OXYBIS-	R51/53	N	H411	Aquatic Chronic 2
0.3-3%	60-12-8	200-456-2	BENZENEETHANOL	R36	Xi	H319	Eye Irrit. 2
			BENZENEETHANOL, a,a-				
0.3-3%	151-05-3	205-781-3	DIMETHYL-, ACETATE	R52/53		H412	Aquatic Chronic 3
			BENZENEPROPANAL, 4-(1,1-	R38	Xi	H315	Skin Irrit. 2
0.3-3%	80-54-6	201-289-8	DIMETHYLETHY)-a-METHYL-				
				R43		H317	Skin Sens. 1
				R51/53	N	H411	Aquatic Chronic 2
				R62	Repr.	H361f	Repr. 2
					Cat. 3		
			BENZENEPROPANAL, a-				
0.3-3%	103-95-7	203-161-7	METHYL-4-(1-METHYLETHYL)-	R38	Xi	H315	Skin Irrit. 2
				R43		H317	Skin Sens. 1
				R51/53	N	H411	Aquatic Chronic 2
					Repr.		
				R62	Cat. 3	H361f	Repr. 2
0.0.554	2056 55 5	040.000.5	BENZOIC ACID, 2-HYDROXY-,	DE 4 /= 5			
0.3-3%	2050-08-0	218-080-2	PENTYL ESTER	R51/53	N	H411	Aquatic Chronic 2
			BENZOIC ACID, PHENYLMETHYL				
0.3-3%	120-51-4	204-402-9	ESTER	R51/53	N	H411	Aquatic Chronic 2
			BICYCLO[3.1.1]HEPT-2-ENE-2-				
			ETHANOL, 6,6-DIMETHYL-,				
0.3-3%	128-51-8	204-891-9	ACETATE	R52/53		H412	Aquatic Chronic 3
0.3-3%	122-40-7	204-541-5	HEPTANAL, 2-	R43		H317	Skin Sens. 1
			(PHENYLMETHYLENE)-	R51/53	N	H411	Aquatic Chronic 2



0.3-3%	93-18-5	202-226-7	NAPHTHALENE, 2-ETHOXY-	R38	Xi	H315	Skin Irrit. 2
0.0 070				R51/53	N	H411	Aquatic Chronic 2
0.3-3%	93-04-9	202-213-6	NAPHTHALENE, 2-METHOXY-	R51/53	N	H411	Aquatic Chronic 2
			OCTANAL, 7-HYDROXY-3,7-				
0.3-3%	107-75-5	203-518-7	DIMETHYL-	R38	Xi	H315	Skin Irrit. 2
				R43		H317	Skin Sens. 1
0.3-3%	8022-15-9	294-470-6	OILS, LAVANDIN	R52/53		H412	Aquatic Chronic 3
				R66			
0.3-3%	8000-41-7	232-268-1	TERPINEOL	R38	Xi	H315	Skin Irrit. 2
<0/3%			2,6-OCTADIENAL, 3,7-				
	5392-40-5	226-394-6	DIMETHYL-	R43		H317	Skin Sens. 1
<0/3%			3-CYCLOHEXENE-1-				
			CARBOXALDEHYDE, 2,4-				
	68039-49-6	268-264-1	DIMETHYL-	R43		H317	Skin Sens. 1
<0/3%	122-78-1	204-574-5	BENZENEACETALDEHYDE	R43		H317	Skin Sens. 1
<0/3%			PHENOL, 2-METHOXY-4-(2-				
	97-53-0	202-589-1	PROPENYL)-	R43		H317	Skin Sens. 1

### **SECTION 4: FIRST AID MEASURES**

General: No specific acute effects or symptoms are known.

<u>Inhalation</u>: No acute effects expected. If person is feeling unwell, remove to fresh air.

<u>Ingestion:</u> Possibility of ingestion limited due to product form and difficulty to chew and ingest.

In the event of ingestion, rinse mouth thoroughly with water.

Skin: Wash off with soap and water.

Eyes: Possibility of eye contact limited. In the event, wash thoroughly with water or approved eyewash.

### **SECTION 5: FIRE FIGHTING MEASURES**

<u>Extinguishing Media:</u> Use extinguishing media appropriate for the surrounding fire. Water spray, fog or mist. Dry chemicals, sand etc.

<u>Exposure Hazards</u>: Thermal decomposition or burning may release a variety of products ranging from simple hydrocarbons to toxic/irritating gases including carbon monoxide and carbon dioxide. Full protective clothing should be worn before a confined fire space is entered. Self-contained breathing apparatus should be worn.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

No special requirements for accidental release required. Apply good housekeeping practices.

#### **SECTION 7: HANDLING AND STORAGE**

<u>Usage Precautions</u>: Follow normal good-housekeeping practices. Keep away from direct flames. <u>Storage Precautions</u>: Keep in cool, dry conditions in original containers at no more than 30°C

#### **SECTION 8: EXPOSURE CONTROL AND PERSONAL PROTECTION**

Occupational Exposure limit: Not Established

Respiratory Protection: None required under normal usage

Protection: Although unexpected, avoid prolonged skin contact. Use chemically resistant gloves as needed.

Eye Protection: None required

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

Appearance: Thermoplastic urinal screen infused with fragrance oil.



<u>Odour</u>: Honeysuckle (Clear Screen) <u>Odour Threshold:</u> Not determined

Colour: Clear

pH value: Not determined/applicable

Melting Pt: Estimated 60°C Boiling Pt: Not applicable. Flash Pt: Not applicable.

**Evaporation Rate:** Not applicable.

Flammability: Not determined/applicable

<u>UEL:</u> Not determined <u>LEL:</u> Not determined

<u>Vapour Pressure:</u> Not determined/applicable <u>Vapour Density:</u> Not determined/applicable

<u>Relative Density:</u> Not determined <u>Solubility in water</u>: Insoluble.

<u>Partition Coefficient:</u> Not determined

Auto ignition Temperature: Not applicable

<u>Decomposition Temperature:</u> Not determined/applicable

## **SECTION 10: STABILITY AND REACTIVITY**

Stability: Normally stable.

Conditions to avoid: Avoid extreme heat and naked flames.

Materials to avoid: Strong oxidizing agents.

Decomposition Products: None under normal storage conditions.

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

<u>Acute Effects:</u> Ingredients include a small quantity of volatile fragrance chemicals which may contain small amounts of substances that are harmful if swallowed and/or irritating to the eyes and skin.

Chronic Effects: None are known.

Health Risks:

INHALATION: Long exposure to volatile ingredients is unlikely to cause irritation or adverse health effects.

INGESTION: No practical risk of adverse health effects. SKIN CONTACT: No practical risk of adverse health effects. EYE CONTACT: No practical risk of adverse health effects.

# **SECTION 12: ECOLOGICAL INFORMATION**

No specific information has been established regarding the product. However according to the Conventional method of Directive 99/45/EC the product is classified as harmful to aquatic organisms, or causing long-term effect in the aquatic environment.

Ecotoxicity: N/A

Persistence and Degradability: N/A Bioaccumulative Potential: N/A

Mobility in Soil: N/A
Other Adverse Effects: N/A

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

Dispose of in accordance with Local Authority requirements e.g., for used product, as household waste

#### **SECTION 14: TRANSPORT INFORMATION**

Product is not regulated as hazardous



**DOT Classifications: Non Hazardous** 

UN-Number: N/A

UN Proper Shipping Name: N/A Transport Hazard Class: N/A

Packing group: N/A
Marine Pollutant: N/A

Special Precautions with Transport: N/A

#### **SECTION 15: REGULATORY INFORMATION**

Classification, Packaging and Labelling according to Directive 99/45/EC

Signal word:

WARNING

Pictograms:

Health hazard Exclamation mark Environment







#### **Hazard Statements:**

H315 : Causes skin irritation

H317 : May cause an allergic skin reaction
 H319 : Causes serious eye irritation
 H361f : Suspected of damaging fertility

H411 : Toxic to aquatic life with long lasting effectsH412 : Harmful to aquatic life with long lasting effects

#### **Risk Phrases:**

R38 Irritating to skin

R43 May cause sensitisation by skin contact

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in aquatic environment
 R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in aquatic environment
 R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in aquatic environment

R65 Harmful: may cause lung damage if swallowed

### Safety Phrases:

S24: Avoid contact with skinS25: Avoid contact with eyes

S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice

S37/39: Wear suitable gloves and eye/face protection

S45: In case of accident or feeling unwell seek medical advice immediately (show the label where possible)

S60: This material and its container must be disposed of as hazardous waste

S61: Avoid release to the environment. Refer to special instructions/safety data sheet

## **SECTION 16: OTHER INFORMATION**

This Safety Data Sheet was prepared to comply with the current OSHA Hazard Communication Standard (HCS) adoption of the Globally Harmonized System of Classification and Labelling of Chemicals (GHS)